

Issuing Date 26-Jul-2023

Revision Date 26-Jul-2023

Revision Number 2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name Calibel

Synonyms None

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Internal linings in buildings

Uses advised against No specific uses advised against are identified

1.3. Details of the supplier of the safety data sheet

Supplier

Saint-Gobain Construction Products (Ireland) Limited
Unit 4 Kilcarbery Business Park
Nangor Road
Dublin 22
D22 R2Y7
Ireland
Tel: +353 (0)1 629 8444

For further information, please contact

E-mail address info@isover.ie

1.4. Emergency telephone number

Emergency telephone ROI: 1800 744480
NI: 0845 3990159
(Monday - Friday, 9am - 5pm)

Emergency telephone - Contact number	
Europe	112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

2.2. Label elements

Hazard statements

Not classified.

Additional information

As supplied, this product does not meet the requirements for labelling.

2.3. Other hazards

The product does not contain any substance(s) classified as PBT or vPvB. Cutting and handling may create dust. Product dust may be irritating to eyes, skin and respiratory system. Sharp edges and corners may cause cuts and abrasions. May cause temporary skin irritation by mechanical action.

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors.

SECTION 3: Composition/information on ingredients**3.1 Substances**

Not applicable

3.2 Mixtures

Composite product consisting of a mineral wool slab and a plasterboard.

Mineral wool slab: Glass mineral wool - inert vitreous silicate mineral wool bonded with a thermosetting resin, which has been urea extended. Contains up to 0.7% mineral oil.

Plasterboard: Calcium sulfate dihydrate and glass fibre encased in paper liners, natural constituents may include minor amounts of quartz. Small quantities of microsilica and vermiculite may be added, with starch, foam and dispersants.

Chemical name	Weight-%	REACH registration number	EC No (EU Index No)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
Calcium sulfate dihydrate 10101-41-4	50 - 75	-	No information available	[C]	-	-	-
Mineral wool -	20 - 40	-	(650-016-00-2)	Not classified [C]	-	-	-

Additional information

Note: EU Index Number: 650-016-00-2 [Man-made vitreous (silicate) fibres with random orientation with alkaline and alkali earth oxides (Na₂O+K₂O+CaO+ MgO+BaO) content greater than 18% by weight and fulfilling one of the CLP Regulation Annex VI Nota Q conditions]

[C] - Components with occupational exposure limits and/or biological occupational exposure limits requiring monitoring

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATE_{mix}) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Calcium sulfate dihydrate 10101-41-4	> 2000	-	> 3.26	-	-

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Mineral oil 8042-47-5	5005	No data available	No data available	No data available	No data available

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	Get medical attention if irritation or other symptoms occur. Take a copy of the Safety Data Sheet when going for medical treatment.
Inhalation	Not an expected route of exposure. IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. IF exposed or concerned: Get medical advice/attention.
Eye contact	Not an expected route of exposure. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.
Skin contact	Wash skin with soap and water. Get medical attention if irritation develops and persists.
Ingestion	IF SWALLOWED: Rinse mouth thoroughly with water. Drink 1 or 2 glasses of water. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Get medical attention immediately if symptoms occur.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms	Harmful dust may be released during cutting or grinding process. Product dust may be irritating to eyes, skin and respiratory system. May cause discomfort if swallowed. Prolonged contact may cause redness and irritation. May cause temporary skin irritation by mechanical action.
Effects of Exposure	No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors	Treat symptomatically.
------------------------	------------------------

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media	Dry chemical, CO ₂ , alcohol-resistant foam or water spray. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical	None known based on information supplied.
---	---

Hazardous combustion products Harmful gases or vapours. Oxides of sulphur. Carbon monoxide. Carbon dioxide (CO₂).

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Wear personal protective clothing (see section 8). Avoid breathing dust. Avoid contact with eyes. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Wash thoroughly after handling.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions Collect spillage. Avoid release to the environment. Local authorities should be advised if significant spillages cannot be contained. See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Use personal protection recommended in Section 8. Clear up spills immediately and dispose of waste safely. Stay upwind. Collect spillage. Sweep up and shovel into suitable containers for disposal. Do not dry sweep dust. Wet dust with water before sweeping or use a vacuum to collect dust. Avoid generation of dust. Prevent product from entering drains. After cleaning, flush away traces with water. Wash thoroughly after handling. Dispose of wastes in an approved waste disposal facility.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information See Section 11 for more information See section 13 for more information

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Read carefully and follow all instructions. Do not handle until all safety precautions have been read and understood. Avoid unnecessary handling of unwrapped product. Wear personal protective equipment. See section 8 for more information. Keep away from food, drink and animal feedingstuffs. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Minimise dust generation and accumulation. Do not breathe dust. Ensure adequate ventilation. If cutting material, use sharp hand tools and avoid power tools. Wash hands thoroughly after handling.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and after work. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Take off contaminated clothing and wash it

before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions

Store away from incompatible materials. Store in accordance with local regulations. Store in a cool, well ventilated area. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep away from combustible material. Keep in a dry place.

7.3. Specific end use(s)

Specific use(s)

The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Exposure to these ingredients as inhalable or respirable dust is minimal during normal use. Avoid generation of dust.

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
Calcium sulfate dihydrate 10101-41-4	-	-	TWA: 10 mg/m ³	-	TWA: 4 mg/m ³ TWA: 10 mg/m ³
Mineral wool -	-	-	-	TWA: 6.0 mg/m ³ TWA: 1.0 fiber/cm ³	TWA: 5 mg/m ³ TWA: 2 fiber/cm ³
Quartz (SiO ₂) 14808-60-7	TWA: 0.1 mg/m ³	TWA: 0.05 mg/m ³	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
Mineral wool -	-	-	-	-	TWA: 1 fiber/cm ³
Quartz (SiO ₂) 14808-60-7	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³	TWA: 0.3 mg/m ³ TWA: 0.1 mg/m ³ STEL: 0.6 mg/m ³ STEL: 0.2 mg/m ³	TWA: 0.1 mg/m ³	TWA: 0.05 mg/m ³
Chemical name	France	Germany TRGS	Germany DFG	Greece	Hungary
Mineral wool -	-	-	-	-	TWA: 0.1 fiber/cm ³
Quartz (SiO ₂) 14808-60-7	TWA: 0.1 mg/m ³	-	-	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³
Mineral oil 8042-47-5	-	TWA: 5 mg/m ³	TWA: 5 mg/m ³ Peak: 20 mg/m ³	-	TWA: 5 mg/m ³
Chemical name	Ireland	Italy MDLPS	Italy AIDII	Latvia	Lithuania
Mineral wool -	TWA: 5 mg/m ³ TWA: 1 fibre/mL	-	-	TWA: 2 mg/m ³	-
Quartz (SiO ₂) 14808-60-7	TWA: 0.1 mg/m ³ STEL: 0.3 mg/m ³ (Silica, crystalline, respirable dust) TWA: 6 mg/m ³ TWA: 2.4 mg/m ³ (Silica, amorphous)	TWA: 0.1 mg/m ³	TWA: 0.025 mg/m ³	TWA: 0.1 mg/m ³	TWA: 0.1 ppm
Mineral oil 8042-47-5	-	-	-	TWA: 5 mg/m ³	-
Chemical name	Luxembourg	Malta	Netherlands	Norway	Poland
Mineral wool -	-	-	-	TWA: 1 fiber/cm ³ STEL: 3 fiber/cm ³	TWA: 1 fiber/cm ³
Quartz (SiO ₂) 14808-60-7	-	-	TWA: 0.075 mg/m ³	TWA: 0.05 mg/m ³ TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³

Chemical name	Portugal	Romania	Slovakia	Slovenia	Spain
Calcium sulfate dihydrate 10101-41-4	TWA: 10 mg/m ³	-	TWA: 1.5 mg/m ³	-	TWA: 10 mg/m ³
Mineral wool -	-	-	-	-	TWA: 1 fiber/cm ³ STEL: 1 fiber/cm ³
Quartz (SiO ₂) 14808-60-7	TWA: 0.025 mg/m ³	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³ STEL: 0.5 mg/m ³	TWA: 0.05 mg/m ³	TWA: 0.05 mg/m ³
Mineral oil 8042-47-5	-	-	-	TWA: 5 mg/m ³ STEL: 20 mg/m ³	-
Chemical name	Sweden		Switzerland	United Kingdom	
Calcium sulfate dihydrate 10101-41-4	-		TWA: 3 mg/m ³	TWA: 10 mg/m ³ TWA: 4.0 mg/m ³	
Mineral wool -	NGV: 1 fiber/cm ³		-	TWA: 2 fibre/mL TWA: 5 mg/m ³	
Quartz (SiO ₂) 14808-60-7	NGV: 0.1 mg/m ³		TWA: 0.15 mg/m ³	TWA: 0.1 mg/m ³ (Silica, respirable crystalline) TWA: 6 mg/m ³ TWA: 2.4 mg/m ³ (Silica, amorphous)	
Mineral oil 8042-47-5	-		TWA: 5 mg/m ³	-	

Biological occupational exposure limits

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies.

Chemical name	European Union	Austria	Bulgaria	Croatia	Czech Republic
Quartz (SiO ₂) 14808-60-7	-	(-)	-	-	-

Derived No Effect Level (DNEL) - Workers No information available

Chemical name	Oral	Dermal	Inhalation
Mineral oil 8042-47-5	-	217.05 mg/kg bw/day [4] [6]	164.56 mg/m ³ [4] [6]

Derived No Effect Level (DNEL) - General Public No information available.

Chemical name	Oral	Dermal	Inhalation
Mineral oil 8042-47-5	25 mg/kg bw/day [4] [6]	-	34.78 mg/m ³ [4] [6]

8.2. Exposure controls**Engineering controls**

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location. Apply technical measures to comply with the occupational exposure limits. As this product contains ingredients with exposure limits, process enclosures, local exhaust ventilation or other engineering controls should be used to keep worker exposure below any statutory or recommended limits, if use

generates dust, fumes, gas, vapour or mist. Provide extract ventilation at the points where emissions occur. Ensure the ventilation system is regularly maintained and tested.

Personal protective equipment

Eye/face protection

If there is a risk of contact: Tight sealing safety goggles. Eye protection must conform to standard EN 166.

Hand protection

Wear suitable gloves to avoid itching. Gloves must conform to standard EN 374. During cutting, grinding or sanding operations, wear protective gloves if handling sharp or rough edges.

Skin and body protection

No special protective equipment required.

Respiratory protection

Harmful dust may be released during cutting or grinding process. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Dust mask for dust formation. Disposable filtering half mask respirators should comply with European Standard EN149 or EN405. Ensure all respiratory protective equipment is suitable for its intended use and is 'CE'-marked. Check that the respirator fits tightly and the filter is changed regularly.

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and after work. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Take off contaminated clothing and wash it before reuse.

Environmental exposure controls

Avoid creating dust.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Board
Physical state	Solid
Colour	Characteristic
Odour	Odourless
Odour threshold	No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
Melting point / freezing point	> 600 °C	Mineral wool
Initial boiling point and boiling range		No data available
Flammability		No data available
Flammability Limit in Air		
Upper flammability or explosive limits		No data available
Lower flammability or explosive limits		No data available
Flash point		No data available
Autoignition temperature		No data available
Decomposition temperature	> 150 °C	Organic binder
pH		No data available
pH (as aqueous solution)		No data available
Kinematic viscosity		No data available
Dynamic viscosity		No data available
Water solubility	Insoluble in water	No data available
Solubility(ies)		No data available
Partition coefficient		No data available

Vapour pressure	No data available
Relative density	No data available
Bulk density	No data available
Liquid Density	No data available
Relative vapour density	No data available
Particle characteristics	
Particle Size	No data available
Particle Size Distribution	No data available

9.2. Other information

9.2.1. Information with regards to physical hazard classes

Not applicable

9.2.2. Other safety characteristics

No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity None under normal use conditions.

10.2. Chemical stability

Stability Stable under normal conditions. Stable under recommended storage conditions.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Dust formation. Extremes of temperature and direct sunlight. Excessive heat.

10.5. Incompatible materials

Incompatible materials None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition products None known based on information supplied. Acid halides: Carbon oxides. Copper oxides.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation

Harmful dust may be released during cutting or grinding process. Inhalation of dust in high concentration may cause irritation of respiratory system.

Eye contact	Not an expected route of exposure. Dust contact with the eyes can lead to mechanical irritation.
Skin contact	Prolonged contact may cause redness and irritation. Contact with dust can cause mechanical irritation or drying of the skin.
Ingestion	Not an expected route of exposure. May cause gastrointestinal discomfort. May cause irritation.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms	Product dust may be irritating to eyes, skin and respiratory system. May cause discomfort if swallowed. Prolonged contact may cause redness and irritation. Fibres may cause mechanical irritation.
-----------------	---

Acute toxicity

Numerical measures of toxicity

No information available.

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Calcium sulfate dihydrate	> 2000 mg/kg (Rat)	-	> 3.26 mg/l
Mineral oil	> 5000 mg/kg (Rat)	-	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Component Information	
Calcium sulfate dihydrate (10101-41-4)	
Method	OECD Test No. 404: Acute Dermal Irritation/Corrosion
Exposure route	Dermal
Effective dose	0.5 g
Exposure time	4 hours
Results	non-irritant

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Component Information	
Calcium sulfate dihydrate (10101-41-4)	
Method	OECD Test No. 405: Acute Eye Irritation/Corrosion
Exposure route	Eye
Effective dose	0.1 g
Results	non-irritant

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Component Information	
Calcium sulfate dihydrate (10101-41-4)	
Method	OECD Test No. 406: Skin Sensitisation
Exposure route	Dermal
Results	Not a skin sensitiser

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Component Information	
Calcium sulfate dihydrate (10101-41-4)	
Method	OECD Test No. 471: Bacterial Reverse Mutation Test
Species	in vitro
Results	Not mutagenic
Method	OECD Test No. 474: Mammalian Erythrocyte Micronucleus Test
Species	in vivo
Results	Not mutagenic

Carcinogenicity Based on available data, the classification criteria are not met. Note: EU Index Number: 650-016-00-2 [Man-made vitreous (silicate) fibres with random orientation with alkaline and alkali earth oxides (Na₂O+K₂O+CaO+ MgO+BaO) content greater than 18% by weight and fulfilling one of the CLP Regulation Annex VI Nota Q conditions].

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Not applicable.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties This product does not contain any known or suspected endocrine disruptors.

11.2.2. Other information

Other adverse effects None known based on information supplied.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity Based on available data, the classification criteria are not met. Not considered to be harmful to aquatic life.

Component Information	
Calcium sulfate dihydrate (10101-41-4)	
Results	Not toxic at limit of water solubility

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Mineral oil 8042-47-5	-	LC50: >10000mg/L (96h, Lepomis macrochirus)	-	-

12.2. Persistence and degradability

Persistence and degradability The methods for determining biodegradability are not applicable to inorganic substances.

Component Information			
Calcium sulfate dihydrate (10101-41-4)			
Method	Exposure time	Value	Results
-	-	-	Substance is inorganic. Not relevant

12.3. Bioaccumulative potential

Bioaccumulation No information available.

Chemical name	Partition coefficient
Mineral oil	6

12.4. Mobility in soil

Mobility in soil No information available.

Mobility Insoluble in water.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment The product does not contain any substance(s) classified as PBT or vPvB.

Chemical name	PBT and vPvB assessment
Calcium sulfate dihydrate 10101-41-4	The substance is not PBT / vPvB
Mineral oil 8042-47-5	The substance is not PBT / vPvB

12.6. Endocrine disrupting properties

Endocrine disrupting properties This product does not contain any known or suspected endocrine disruptors.

12.7. Other adverse effects

Other adverse effects None known based on information supplied.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products The generation of waste should be minimised or avoided wherever possible. Recover or recycle if possible. This material and its container must be disposed of in a safe way. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Waste codes / waste designations according to EWC / AVV According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information

IMDG	Not regulated
14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not applicable
14.5 Environmental hazards	Not applicable
14.6 Special Precautions for Users	
Special Provisions	None
14.7 Maritime transport in bulk according to IMO instruments	No information available

RID	Not regulated
14.1 UN number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not applicable
14.5 Environmental hazards	Not applicable
14.6 Special Precautions for Users	
Special Provisions	None

ADR	Not regulated
14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not applicable
14.5 Environmental hazards	Not applicable
14.6 Special Precautions for Users	
Special Provisions	None

IATA	Not regulated
14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not applicable
14.5 Environmental hazards	Not applicable
14.6 Special Precautions for Users	
Special Provisions	None
Note:	None

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Chemical name	French RG number
Quartz (SiO ₂) 14808-60-7	RG 25
Mineral oil 8042-47-5	RG 36bis

Chemical name	Netherlands - List of Carcinogens	Netherlands - List of Mutagens	Netherlands - List of Reproductive Toxins
Quartz (SiO ₂)	Present	-	-

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorisations and/or restrictions on use:

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Restricted substance per REACH Annex XVII	Substance subject to authorisation per REACH Annex XIV
Mineral wool - -	75.	-

Persistent Organic Pollutants

Not applicable

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Chemical name	EU - Plant Protection Products (1107/2009/EC)
Quartz (SiO ₂) - 14808-60-7	Plant protection agent
Mineral oil - 8042-47-5	Plant protection agent

International Inventories

Contact supplier for inventory compliance status

15.2. Chemical safety assessment

Chemical Safety Report Not applicable

SECTION 16: Other information**Key or legend to abbreviations and acronyms used in the safety data sheet****Legend**

ATE: Acute Toxicity Estimate

SVHC: Substances of Very High Concern for Authorisation:

PBT: Persistent, Bioaccumulative, and Toxic (PBT) Chemicals

vPvB: Very Persistent and very Bioaccumulative (vPvB) Chemicals

Legend Section 8: Exposure controls/personal protection

TWA TWA (time-weighted average)

STEL

STEL (Short Term Exposure Limit)

Ceiling Maximum limit value

*

Skin designation

SCBA Self-contained breathing apparatus

Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA_RAC)

European Chemicals Agency (ECHA) (ECHA_API)
EPA (Environmental Protection Agency)
Acute Exposure Guideline Level(s) (AEGl(s))
U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
U.S. Environmental Protection Agency High Production Volume Chemicals
Food Research Journal
Hazardous Substance Database
International Uniform Chemical Information Database (IUCLID)
Japan GHS Classification
Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
NIOSH (National Institute for Occupational Safety and Health)
National Library of Medicine's ChemID Plus (NLM CIP)
National Library of Medicine's PubMed database (NLM PUBMED)
National Toxicology Program (NTP)
New Zealand's Chemical Classification and Information Database (CCID)
Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications
Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme
Organisation for Economic Co-operation and Development Screening Information Data Set
World Health Organization

Issuing Date 26-Jul-2023

Supersedes date 20-Jan-2021

Revision Date 26-Jul-2023

Revision Note Document reviewed.

Further information The glass wool fibres of this product are exonerated from the carcinogenic classification according to Regulation (EC)1272/2008 as they fulfil the criteria of the nota Q.

EUCEB, European Certification Board of Mineral Wool Products - www.euceb.org, is a voluntary initiative by the mineral wool industry. It is an independent certification authority that guarantees that products are made of fibres, which comply with the exoneration criteria for carcinogenicity (Note Q) of the Regulation (EC) 1272/2008.

To ensure that fibres comply with the exoneration criteria all tests and supervision procedures are carried out by independent, expert qualified institutions. EUCEB ensures that the producers of mineral wool have put in place self-control measures.

The products responding to the EUCEB certification are recognized by the EUCEB logo put on the packaging.

The mineral wool producers commit to EUCEB to:

- supply sampling and analysis reports established by laboratories recognized by EUCEB, proving that the fibres comply with one of the four criteria of exoneration described in Note Q of the Regulation (EC) 1272/2008
- be controlled, twice per year, of each production unit by an independent third party recognized by EUCEB (sampling and conformity to the initial chemical composition)
- put in place procedures of internal self-control in each production unit.

Moreover, in 2001, the International Agency for Research on Cancer, re-evaluated and reclassified mineral wool (insulation glass wool, rock (stone) wool and slag wool) from Group 2B (possibly carcinogenic) to Group 3 « agent which cannot be classified as for their carcinogenicity to humans ». (See Monograph Vol 81, <http://monographs.iarc.fr/>)

This SDS is not mandated under REACH Regulation (EC) No 1907/2006 and is provided for information only

This safety data sheet complies with the requirements of Commission Regulation (EU) 2020/878 of 18 June 2020

amending Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet