



## Product Name VARIO MultiTape SL

A single-sided flexible adhesive tape with split release strip for sealing penetrations where plastering over is not required.

---

Part of the Vario range

---



## VARIO MultiTape SL



### BENEFITS AND FEATURES

**MATERIAL** Double-layer structure comprising special mesh reinforced PE sheeting, with a solvent-free, modified acrylate adhesive.

**FIRE** Euroclass E (normally flammable) in accordance with DIN 13984.

**ENVIRONMENTAL CREDENTIALS** Free of solvents, isocyanates, PVC, heavy metals and halogens.

**TEMPERATURE** (- 30°C to + 100°C)

**APPLICATION TEMPERATURE** From - 10°C upwards.

**WATER VAPOUR DIFFUSION** Approx. 109.7 g/m<sup>2</sup>d to 6.6 g/m<sup>2</sup>d in accordance with EN 12572.

### STANDARDS & CERTIFICATION

**QUALITY** We hold a Quality Management Standard BS EN ISO 9001: 2008 for manufacturing.

**CE** All products are manufactured in accordance with the CE marking requirements under the Construction Products Regulation,

**PRODUCT STANDARDS** All our products are manufactured in accordance with product standard: BS EN 13162: 2008 and BS EN 13172 Evaluation of Conformity.

**ENVIRONMENT** ISOVER is an ISO 14001:2004 (Environmental Management System) accredited manufacturing facility. This accreditation ensures that all products are manufactured to the stringent standards set out by this management system. EN ISO 13162 EMS 551706 003 BS EN ISO 9001: 2000

For more applications and product details, please visit [www.isover.ie](http://www.isover.ie)

ISOVER Ireland  
Unit 4, Kilcarbery Business Park,  
Nangor Rd., Dublin 22  
Tel: +353 (0) 1 629 8400  
Email: [info@isover.ie](mailto:info@isover.ie)  
Web: [www.isover.ie](http://www.isover.ie)

ISOVER Technical Team  
ROI Free Phone: 1800 744 480  
NI Phone: 0845 399 0159  
Email: [tech.ie@saint-gobain.com](mailto:tech.ie@saint-gobain.com)

