

# **SAFETY DATA SHEET**

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 as amended by Commission Regulation (EU) 2020/878 and Regulation (EC) No. 1272/2008

Issuing Date 27-Jul-2023

Revision Date 27-Jul-2023

**Revision Number** 2

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier	
Product Name	Vario DoubleFit +
Synonyms	None
1.2. Relevant identified uses of the s	substance or mixture and uses advised against
Recommended use	Sealant
Uses advised against	No specific uses advised against are identified
1.3. Details of the supplier of the saf	fety data sheet
Supplier Saint-Gobain Construction Products (II Unit 4 Kilcarbery Business Park Nangor Road Dublin 22 D22 R2Y7 Ireland Tel: +353 (0)1 629 8444	reland) Limited
For further information, please cont	
E-mail address	info@isover.ie
1.4. Emergency telephone number	-
Emergency telephone	ROI: 1800 744480 NI: 0845 3990159 (Monday - Friday, 9am - 5pm)
Emergency telephone - Contact nu	
Europe	112

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

#### Regulation (EC) No 1272/2008

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

#### 2.2. Label elements

#### Hazard statements

#### Not classified.

EUH208 - Contains 1,2-Benzisothiazol-3(2H)-one, Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2Hisothiazol-3-one (3:1). May produce an allergic reaction.

#### Precautionary Statements - EU (§28, 1272/2008)

P102 - Keep out of reach of children.

**Biocide Labelling:** Contains 1,2-Benzisothiazol-3(2H)-one, C(M)IT/MIT (3:1) to prevent microbial deterioration.

<u>2.3. Other hazards</u> The product does not contain any substance(s) classified as PBT or vPvB.

**Endocrine Disruptor Information** This product does not contain any known or suspected endocrine disruptors.

### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Not applicable

#### 3.2 Mixtures

Chemical name	Weight-%	REACH registration number	EC No (EU Index No)	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
1,2-Benzisothiazol- 3(2H)-one 2634-33-5	0.005 - <0.05%	-	220-120-9 (613-088-00-6)	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411)	Skin Sens. 1 :: C>=0.05%	1	-
Reaction mass of 5- chloro-2-methyl-2H- isothiazol-3-one and 2-methyl-2H- isothiazol-3-one (3:1) 55965-84-9	0.00015 - <0.0015%	-	611-341-5 (613-167-00-5)	Acute Tox. 2 (H310) Acute Tox. 2 (H330) Skin Corr. 1C (H314) Eye Dam. 1 (H318)	Eye Irrit. 2 :: 0.06%<=C<0.6 % Skin Corr. 1C :: C>=0.6% Skin Irrit. 2 :: 0.06%<=C<0.6 % Skin Sens. 1A :: C>=0.0015% Eye Dam. 1 :: C>=0.6%	100	100

#### Full text of H- and EUH-phrases: see section 16

#### Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50 mg/kg	Dermal LD50 mg/kg		Inhalation LC50 - 4 hour - vapour - mg/L	
1,2-Benzisothiazol-3(2H)- one 2634-33-5	490	>2000	-	-	-
Reaction mass of 5-chloro- 2-methyl-2H-isothiazol-3- one and 2-methyl-2H- isothiazol-3-one (3:1) 55965-84-9	64	87.12	0.171	-	-

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

General advice	Get medical attention if irritation or other symptoms occur. Show this safety data sheet to the doctor in attendance.
Inhalation	Remove person to fresh air and keep comfortable for breathing. Get medical attention if symptoms occur.
Eye contact	In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention if irritation develops and persists.
Skin contact	Wash skin with soap and water. Get medical attention if irritation develops and persists. In the event of any sensitisation symptoms developing, ensure further exposure is avoided.
Ingestion	Clean mouth with water and afterwards drink plenty of water. Get medical attention if symptoms occur. Do not induce vomiting without medical advice. If vomiting occurs spontaneously, keep head below hips to prevent aspiration. Never give anything by mouth to an unconscious person.
4.2. Most important symptoms and e	effects, both acute and delayed
Symptoms	May cause temporary eye irritation. Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitisation in susceptible persons. May cause discomfort if swallowed.
Effects of Exposure	No information available.
4.3. Indication of any immediate med	dical attention and special treatment needed
Note to doctors	Treat symptomatically.

### SECTION 5: Firefighting measures

```
5.1. Extinguishing media
```

Suitable Extinguishing Media	Dry chemical, CO2, alcohol-resistant foam or water spray. Use extinguishing agent suitable for type of surrounding fire.
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.
5.2. Special hazards arising from th	e substance or mixture
Specific hazards arising from the chemical	None known.
Hazardous combustion products	Harmful gases or vapours. Carbon monoxide. Carbon dioxide (CO2).
5.3. Advice for firefighters	
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Do not handle until all safety precautions have been read and understood. Do not touch or walk through spilled material. Wear personal protective clothing (see section 8). Wash thoroughly after handling.
For emergency responders	Use personal protection recommended in Section 8.
6.2. Environmental precautions	
Environmental precautions	Avoid release to the environment. Local authorities should be advised if significant spillages cannot be contained.
6.3. Methods and material for conta	inment and cleaning up
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Clear up spills immediately and dispose of waste safely. Use personal protection recommended in Section 8. Small spill: Wipe up with absorbent material (eg. cloth, fleece). Large spill: Cover liquid spill with sand, earth or other noncombustible absorbent material. Pick up and transfer to properly labelled containers. Wash thoroughly after handling.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.
6.4. Reference to other sections	
Reference to other sections	See section 8 for more information See section 13 for more information
SECTION 7: Handling and	storago

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Read carefully and follow all instructions. Keep out of reach of children. Wear personal protective equipment. See section 8 for more information. Avoid contact with skin and eyes. Keep away from food, drink and animal feedingstuffs. Keep container closed when not in use. Avoid generation of dust.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and immediately after handling the product. Do not eat, drink or smoke when using this product. Take off all contaminated clothing and wash it before reuse. Contaminated work clothing should not be allowed out of the workplace.
7.2. Conditions for safe storage, inc	luding any incompatibilities
Storage Conditions	Store away from incompatible materials. Keep container upright. Store at room temperature. Store in a dry place. Store in a closed container. Protect from physical damage. Store in accordance with local regulations. Keep from freezing.
7.3. Specific end use(s)	
Specific use(s)	The identified uses for this product are detailed in Section 1.2.

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### **Exposure Limits**

Chemical name	European Union	Austria	Belgium	Bu	Igaria	Croatia
Calcium carbonate	-	-	-		-	TWA: 10 mg/m <sup>3</sup>
471-34-1		-				TWA: 4 mg/m <sup>3</sup>
Reaction mass of 5-	-	TWA: 0.05 mg/m <sup>3</sup>	-		-	-
chloro-2-methyl-2H- isothiazol-3-one and 2-		Sh+				
methyl-2H-isothiazol-3-						
one (3:1)						
55965-84-9						
Chemical name	France	Germany TRGS	Germany DFG	Gr	eece	Hungary
Calcium carbonate	TWA: 10 mg/m <sup>3</sup>	-	-		-	-
471-34-1						
1,2-Benzisothiazol-3(2H)-	-	-	skin sensitizer		-	-
one						
2634-33-5				-		
Chemical name	Ireland	Italy MDLPS	Italy AIDII		atvia	Lithuania
Calcium carbonate	-	-	-	TWA:	6 mg/m <sup>3</sup>	-
471-34-1						
Chemical name	Luxembourg	Malta	Netherlands	No	orway	Poland
Calcium carbonate	-	-	-		-	TWA: 10 mg/m <sup>3</sup>
471-34-1		l				
Chemical name	Si	weden	Switzerland			ited Kingdom
Calcium carbonate		-	TWA: 3 mg/m <sup>3</sup>			/A: 10 mg/m <sup>3</sup>
471-34-1			TWA: 10 mg/m	J <sup>3</sup> TWA		VA: 4 mg/m <sup>3</sup>
Reaction mass of 5-chlo		-	S+	2		-
methyl-2H-isothiazol-3-on			TWA: 0.2 mg/m			
2-methyl-2H-isothiazol-3	-one		STEL: 0.4 mg/m	າ້		
(3:1)						
55965-84-9						

#### **Biological occupational exposure limits**

### Derived No Effect Level (DNEL) - Workers No information available

Chemical name	Oral	Dermal	Inhalation
Calcium carbonate	-	-	6.36 mg/m <sup>3</sup> [5] [6]
471-34-1			
1,2-Benzisothiazol-3(2H)-one	-	0.966 mg/kg bw/day [4] [6]	6.81 mg/m <sup>3</sup> [4] [6]
2634-33-5			
Reaction mass of 5-chloro-2-methyl-	-	-	0.02 mg/m <sup>3</sup> [5] [6]
2H-isothiazol-3-one and 2-methyl-2H-			0.04 mg/m <sup>3</sup> [5] [7]
isothiazol-3-one (3:1)			-
55965-84-9			

#### Derived No Effect Level (DNEL) - General Public No information available.

Chemical name	Oral	Dermal	Inhalation
Calcium carbonate	6.1 mg/kg bw/day [4] [6]	-	1.06 mg/m <sup>3</sup> [5] [6]
471-34-1	6.1 mg/kg bw/day [4] [7]		
1,2-Benzisothiazol-3(2H)-one	-	-	1.2 mg/m <sup>3</sup> [4] [6]
2634-33-5			
Reaction mass of 5-chloro-2-methyl-	0.09 mg/kg bw/day [4] [6]	-	0.02 mg/m <sup>3</sup> [5] [6]
2H-isothiazol-3-one and 2-methyl-2H-	0.11 mg/kg bw/day [4] [7]		0.04 mg/m <sup>3</sup> [5] [7]
isothiazol-3-one (3:1)			
55965-84-9			

Chemical name	Freshwater	Freshwater (intermittent release)	Marine water	Marine water (intermittent release)	Air
1,2-Benzisothiazol-3(2H)- one 2634-33-5	4.03 μg/L	1.1 µg/L	0.403 µg/L	110 ng/L	-
Reaction mass of 5-chloro- 2-methyl-2H-isothiazol-3- one and 2-methyl-2H- isothiazol-3-one (3:1) 55965-84-9	3.39 µg/L	3.39 µg/L	3.39 µg/L	3.39 µg/L	-

Chemical name	Freshwater sediment	Marine sediment	Sewage treatment	Soil	Food chain
Calcium carbonate 471-34-1	-	-	100 mg/L	-	-
1,2-Benzisothiazol-3(2H)- one 2634-33-5	49.9 µg/kg sediment dw	4.99 µg/kg sediment dw	1.03 mg/L	3 mg/kg soil dw	-
Reaction mass of 5-chloro- 2-methyl-2H-isothiazol-3- one and 2-methyl-2H- isothiazol-3-one (3:1) 55965-84-9	0.027 mg/kg sediment dw	0.027 mg/kg sediment dw	0.23 mg/L	0.01 mg/kg soil dw	-

#### 8.2. Exposure controls

Engineering controls	Ensure adequate ventilation, especially in confined areas. Use process enclosures, local exhaust ventilation or other engineering controls as the primary means to minimise worker exposure. Personal protective equipment should only be used if worker exposure cannot be controlled adequately by the engineering control measures. Ensure control measures are regularly inspected and maintained. Ensure operatives are trained to minimise exposure.
Personal protective equipment	
Eye/face protection	If there is a risk of contact:. Tight sealing safety goggles. Eye protection must conform to standard EN 166.
Hand protection	Wear suitable gloves. Butyl rubber. Neoprene gloves. Nitrile rubber. Thickness: $\geq 0.5$ mm. Break through time. $\geq 480$ min. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended. Gloves must conform to standard EN 374.
Skin and body protection	Wear suitable protective clothing.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required. In case of insufficient ventilation, wear suitable respiratory equipment. Ensure all respiratory protective equipment is suitable for its intended use and is 'CE'-marked. Check that the respirator fits tightly and the filter is changed regularly.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and immediately after handling the product. Do not eat, drink or smoke when using this product. Take off all contaminated clothing and wash it before reuse. Contaminated work clothing should not be allowed out of the workplace.
Environmental exposure controls	Prevent product from entering drains

Environmental exposure controls Prevent product from entering drains.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Appearance Physical state	Paste Liguid	
Colour Odour Odour threshold	According to product specification Characteristic No information available	
<u>Property</u> Melting point / freezing point Initial boiling point and boiling range	<u>Values</u>	Remarks • Method No data available No data available
Flammability Flammability Limit in Air		No data available
Upper flammability or explosive limits		No data available
Lower flammability or explosive limits		No data available

Flash point		No data available
Autoignition temperature		No data available
Decomposition temperature		No data available
рН	8	No data available
pH (as aqueous solution)		No data available
Kinematic viscosity		No data available
Dynamic viscosity		No data available
Water solubility		No data available
Solubility(ies)	Insoluble	No data available
Partition coefficient		No data available
Vapour pressure		No data available
Relative density	1.25	No data available
Bulk density		No data available
Liquid Density		No data available
Relative vapour density		No data available
Particle characteristics		
Particle Size		No data available
Particle Size Distribution		No data available

9.2. Other information

**9.2.1.** Information with regards to physical hazard classes Not applicable

0.2.2 Other safety characteristic

9.2.2. Other safety characteristics No information available	
SECTION 10: Stability and	reactivity
10.1. Reactivity	
Reactivity	None under normal use conditions.
10.2. Chemical stability	
Stability	Stable under normal conditions.
Explosion data Sensitivity to mechanical impac Sensitivity to static discharge	<b>:t</b> None. None.
10.3. Possibility of hazardous reactions	
Possibility of hazardous reactions	None under normal processing.
10.4. Conditions to avoid	
Conditions to avoid	None known based on information supplied.
10.5. Incompatible materials	
Incompatible materials	None known.
10.6. Hazardous decomposition products	
Hazardous decomposition products None under normal use conditions.	

### **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

.

#### Information on likely routes of exposure

Product	Information
1 I Ouuoi	mormation

Inhalation	Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract.
Eye contact	Specific test data for the substance or mixture is not available. May cause temporary eye irritation.
Skin contact	Specific test data for the substance or mixture is not available. May cause sensitisation in susceptible persons. Prolonged or repeated contact may dry skin and cause irritation.
Ingestion	Specific test data for the substance or mixture is not available. May cause gastrointestinal discomfort if consumed in large amounts.
Symptoms related to the physical	, chemical and toxicological characteristics
Symptoms	May cause temporary eye irritation. May cause discomfort if swallowed. Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitisation in susceptible persons.

<u>Acute toxicity</u> Numerical measures of toxicity No information available.

#### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Calcium carbonate	> 2000 mg/kg (Rat)	> 2000 mg/kg ( Rat )	>3 mg/L(Rat)4h
1,2-Benzisothiazol-3(2H)-one	490 mg/kg (Rat)	> 2000 mg/kg (Rat)	-
Reaction mass of 5-chloro-2-methyl- 2H-isothiazol-3-one and 2-methyl-2H- isothiazol-3-one (3:1)	64 mg/kg (Rat)	87.12 mg/kg (Rat)	0.171 mg/L (Rat)

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Based on available data, the classification criteria are not met.		
Component Information			
Calcium carbonate (471-34-1)			
Method	OECD Test No. 404: Acute Dermal Irritation/Corrosion		
Exposure route	Dermal		
Effective dose	0.5 g		
Exposure time	4 hours		
Results	non-irritant		

Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)		
Exposure route	Dermal	
Effective dose	0.5 mL	

Exposure time	4 hours
Results	Corrosive

Serious eye damage/eye irritation	Based on available data, the classification criteria are not met.		
Component Information			
Reaction mass of 5-chloro-2-methyl-21	I-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)		
Exposure route	Eye		
Effective dose	0.1 mL		
Exposure time	7		
Results	Eye Damage		

#### Respiratory or skin sensitisation May cause sensitisation in susceptible persons.

Component Information	
1,2-Benzisothiazol-3(2H)-one (2634-33-5)	
Method	OECD Test No. 406: Skin Sensitisation
Exposure route	Dermal
Results	Sensitising

Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)			
Method	OECD Test No. 429: Skin Sensitisation: Local Lymph Node Assay		
Exposure route	Dermal		
Results	Sensitising		

Germ cell mutagenicity	Based on available data, the classification criteria are not met.		
Carcinogenicity	Based on available data, the classification criteria are not met.		
Reproductive toxicity	Based on available data, the classification criteria are not met.		
Component Information			
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)			
Method	OECD Test No. 416: Two-Generation Reproduction Toxicity		
Results	Not Classifiable		

STOT - repeated exposure	Based on available data, the classification criteria are not met.

Aspiration hazard Not applicable.

11.2. Information on other hazards

```
11.2.1. Endocrine disrupting properties
```

Endocrine disrupting properties This product does not contain any known or suspected endocrine disruptors.

```
11.2.2. Other information
```

Other adverse effects

None known based on information supplied.

### **SECTION 12: Ecological information**

#### 12.1. Toxicity

#### Ecotoxicity

Not considered to be harmful to aquatic life. Based on available data, the classification criteria are not met.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Calcium carbonate 471-34-1	-	LC50: > 100% (96h, Oncorhynchus mykiss)	-	EC50: > 100% (96h, Daphnia magna)
1,2-Benzisothiazol-3(2H)-one 2634-33-5	EC50: 150 µg/L (72h, Pseudokirchneriella subcapitata)	LC50: 16.7 mg/L (96h, Cyprinodon variegatus)	EC50: 13 mg/L (3h, Activated sludge)	EC50: 2.9 mg/L (48h, Daphnia magna)
Reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) 55965-84-9	EC50: 6.3 µg/L (72h, Skeletonema costatum)	LC50: 0.19 mg/L (96h, Oncorhynchus mykiss)	EC50: 4.5 mg/L (3h, Activated sludge)	EC50: 0.16 mg/L (72h, Daphnia magna)

#### 12.2. Persistence and degradability

Persistence and degradability

No information available.

Component Information			
1,2-Benzisothiazol-3(2H)-one (2634-33-5)			
Method	Exposure time	Value	Results
OECD Test No. 301C: Ready	63 days	85%	Not readily biodegradable
Biodegradability: Modified MITI Test (I)			
(TG 301 C)			

Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)			
Method	Exposure time	Value	Results
OECD Test No. 301B: Ready Biodegradability: CO2 Evolution Test (TG 301 B)	29 days	62%	Readily biodegradable, failing 10-d window

#### 12.3. Bioaccumulative potential

Bioaccumulation

Not likely to bioaccumulate.

#### **Component Information**

Chemical name	Partition coefficient
1,2-Benzisothiazol-3(2H)-one	0.7
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-	0.326 - 2.519
methyl-2H-isothiazol-3-one (3:1)	

#### 12.4. Mobility in soil

Mobility in soil No information available.

Mobility No information available.

#### 12.5. Results of PBT and vPvB assessment

**PBT and vPvB assessment** The product does not contain any substance(s) classified as PBT or vPvB.

Chemical name	PBT and vPvB assessment
Calcium carbonate	The substance is not PBT / vPvB
471-34-1	
1,2-Benzisothiazol-3(2H)-one	The substance is not PBT / vPvB

2634-3	33-5		
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl- 2H-isothiazol-3-one (3:1) 55965-84-9		The substance is not PBT / vPvB	
	04-9		
12.6. Endocrine disrupting proper	ties		
<b>Endocrine disrupting properties</b> This product does not contain any known or suspected endocrine disruptors.			
12.7. Other adverse effects			
Other adverse effects	None known based on information supplied.		
SECTION 13: Disposal considerations			
13.1. Waste treatment methods			
Waste from residues/unused products	Recover or recycle if possible. This material and its container must be disposed of in a safe way. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.		
Contaminated packaging	Do not reuse empty containers. Empty containers should be taken to an approved waste handling site for recycling or disposal. Since empty containers retain product residue, follow label warnings even after container is emptied.		
Waste codes / waste designations according to EWC / AVV	According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used.		

## SECTION 14: Transport information

IMDG	i	Not regulated
14.1	UN number or ID number	Not regulated
14.2	UN proper shipping name	Not regulated
14.3	Transport hazard class(es)	Not regulated
14.4	Packing group	Not applicable
14.5	Environmental hazards	Not applicable
14.6	<b>Special Precautions for Users</b>	
Special Provisions		None
14.7	Maritime transport in bulk	No information available
accol	ding to IMO instruments	
RID		Not regulated
14.1	UN number	Not regulated
14.2	UN proper shipping name	Not regulated
14.3	Transport hazard class(es)	Not regulated
14.4	Packing group	Not applicable
14.5		Not applicable
14.6	Special Precautions for Users	
S	pecial Provisions	None
ADR		Not regulated
14.1	UN number or ID number	Not regulated
14.2	UN proper shipping name	Not regulated
14.3	Transport hazard class(es)	Not regulated
14.4	Packing group	Not applicable

	Environmental hazards	Not applicable
14.6 Special Precautions for Users Special Provisions		None
IATA	_	Not regulated
14.1	UN number or ID number	Not regulated
14.2	UN proper shipping name	Not regulated
14.3	Transport hazard class(es)	Not regulated
14.4	Packing group	Not applicable
14.5	Environmental hazards	Not applicable
14.6	<b>Special Precautions for Users</b>	
S	pecial Provisions	None
N	ote:	None

### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations

#### France

#### **Occupational Illnesses (R-463-3, France)**

Chemical name	French RG number
1,2-Benzisothiazol-3(2H)-one	RG 65
2634-33-5	

#### **European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

#### Authorisations and/or restrictions on use:

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Chemical name	Restricted substance per REACH	Substance subject to authorisation per
	Annex XVII	REACH Annex XIV
Calcium carbonate - 471-34-1	75.	-
1,2-Benzisothiazol-3(2H)-one - 2634-33-5	75.	-
Reaction mass of 5-chloro-2-methyl-2H-isothiazol- 3-one and 2-methyl-2H-isothiazol-3-one (3:1) -	75.	-
55965-84-9		

#### **Persistent Organic Pollutants**

Not applicable

### Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Chemical name	EU - Plant Protection Products (1107/2009/EC)
Calcium carbonate - 471-34-1	Plant protection agent
Chemical name	Biocidal Products Regulation (EU) No 528/2012 (BPR)

1,2-Benzisothiazol-3(2H)-one - 2634-33-5	Product-type 2: Disinfectants and algaecides not intended for direct application to humans or animals Product-type 6: Preservatives for products during storage Product-type 9: Fibre, leather, rubber and polymerised materials preservatives Product-type 11: Preservatives for liquid- cooling and processing systems Product-type 12: Slimicides Product-type 13: Working or cutting fluid preservatives
	Product-type 2: Disinfectants and algaecides not intended for direct application to humans or animals Product-type 4: Food and feed area Product-type 6: Preservatives for products during storage Product-type 11: Preservatives for liquid-cooling and processing systems Product-type 12: Slimicides Product-type 13: Working or cutting fluid preservatives

#### International Inventories

Contact supplier for inventory compliance status

#### 15.2. Chemical safety assessment

Chemical Safety Report

Not applicable

### SECTION 16: Other information

#### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of H-Statements referred to under section 3

- EUH071 Corrosive to the respiratory tract
- H301 Toxic if swallowed
- H302 Harmful if swallowed
- H310 Fatal in contact with skin
- H314 Causes severe skin burns and eye damage
- H315 Causes skin irritation
- H317 May cause an allergic skin reaction
- H318 Causes serious eye damage
- H330 Fatal if inhaled
- H400 Very toxic to aquatic life
- H410 Very toxic to aquatic life with long lasting effects
- H411 Toxic to aquatic life with long lasting effects

#### Legend

- ATE: Acute Toxicity Estimate SVHC: Substances of Very High Concern for Authorisation: PBT: Persistent, Bioaccumulative, and Toxic (PBT) Chemicals
- vPvB: Very Persistent and very Bioaccumulative (vPvB) Chemicals

#### Legend Section 8: Exposure controls/personal protection

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling SCBA	Maximum limit value Self-contained breathing apparatus	*	Skin designation

Classification procedure	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	Method Used
Acute oral toxicity	Calculation method

Acute dermal toxicity	Calculation method
Acute inhalation toxicity - gas	Calculation method
Acute inhalation toxicity - vapour	Calculation method
Acute inhalation toxicity - dust/mist	Calculation method
Skin corrosion/irritation	Calculation method
Serious eye damage/eye irritation	Calculation method
Respiratory sensitisation	Calculation method
Skin sensitisation	Calculation method
Mutagenicity	Calculation method
Carcinogenicity	Calculation method
Reproductive toxicity	Calculation method
STOT - single exposure	Calculation method
STOT - repeated exposure	Calculation method
Acute aquatic toxicity	Calculation method
Chronic aquatic toxicity	Calculation method
Aspiration hazard	Calculation method
Ozone	Calculation method

#### Key literature references and sources for data used to compile the SDS

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA) European Chemicals Agency (ECHA) Committee for Risk Assessment (ECHA\_RAC) European Chemicals Agency (ECHA) (ECHA\_API) EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) Japan GHS Classification Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme Organisation for Economic Co-operation and Development Screening Information Data Set World Health Organization 27-Jul-2023 **Issuing Date** 

-	
Supercedes date	22-Feb-2023
Revision Date	27-Jul-2023
Revision Note	Document reviewed.

This safety data sheet complies with the requirements of Commission Regulation (EU) 2020/878 of 18 June 2020 amending Regulation (EC) No. 1907/2006

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.